



**CAMIE-CAMPBELL, INC.**  
Aerosol and Bulk Industrial Specialty Chemicals



9225 Watson Industrial Park St. Louis, MO 63126-1581  
314-968-3222 800-325-9572 fax: 314-968-0741  
E-mail: [camie@camie.com](mailto:camie@camie.com) [www.camie.com](http://www.camie.com)

## CAMIE 22/90 PRODUCT DATA SHEET

CAMIE 22/90 Heavy Duty Cleaner/Degreaser is formulated as a strong, effective cleaner where build-up of grease, oil, grime, paint, adhesive, and other unwanted substances are encountered. Camie 22/90 effectively removes adhesive and adhesive overspray. Camie 22/90 is a non-corrosive, strong action product that can be sprayed on surfaces to break down, wash away, and clean grease from equipment, floors, work areas, engines, metal parts, and any other area needing to be cleaned.

|                            |                                                                                                                                                                                                               |
|----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Applications               | Removal of build-up of grease, oil, grime, paint, adhesive and adhesive overspray, and other unwanted substances. Effective for cleaning grease from equipment, floors, work areas, engines, and metal parts. |
| Container Size             | 20 Fluid Ounce Can                                                                                                                                                                                            |
| Product Description        | Heavy Duty Cleaner & Degreaser                                                                                                                                                                                |
| Net Weight                 | 15.0 Ounces                                                                                                                                                                                                   |
| Cans Per Case              | 12                                                                                                                                                                                                            |
| Case Dimensions - Inches   | 11.75" L X 8.75" W X 10.5" H                                                                                                                                                                                  |
| Case Weight                | 15.5 Pounds                                                                                                                                                                                                   |
| Cases Per Pallet           | 72                                                                                                                                                                                                            |
| Appearance                 | Clear                                                                                                                                                                                                         |
| Odor                       | Mild Mint                                                                                                                                                                                                     |
| Solvent System             | Heptane, Acetone, and Isoalkanes                                                                                                                                                                              |
| Propellant                 | Propane                                                                                                                                                                                                       |
| Evaporation Rate           | Slow                                                                                                                                                                                                          |
| Spray Pattern              | Jet Mist                                                                                                                                                                                                      |
| VOC %                      | 19                                                                                                                                                                                                            |
| VOC Compliant for CA & OTC | Yes                                                                                                                                                                                                           |
| NSF Registered             | No                                                                                                                                                                                                            |
| Aerosol Flammability Level | Level 3 Aerosols                                                                                                                                                                                              |
| Warranty Period            | One Year from date of shipment                                                                                                                                                                                |
| DOT Proper Shipping Name   | Consumer Commodity ORM-D for domestic ground shipment. (See MSDS for additional shipping information)                                                                                                         |



CAMIE 22/90

In as much as CAMIE-CAMPBELL, INC. has no control over the use to which others may put the material, it does not guarantee that the same results described herein will be obtained. Each user should make his own tests to determine the material's suitability for his own particular use.